



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

PNEUMATIC STICK NAILS FULL RND HEAD 21 DEG PLASTIC COALATED

MATERIAL = LOW CARBON STEEL


AVAILABLE PLATING

PLAIN FINISH (RW)

ZINC (CZ)

HOT DIP GALV (HD)

**PLEASE REPLACE RW WITH 2 DIGIT
PLATING CODE IF A PLATING OTHER
THAN PLAIN IS PREFERRED.**



**ROUND HEAD STICK NAILS OFFER FAST EASY INSTALLTION AT A EXTREMELY
COMPETATIVE PRICE.**

PART NUMBER	WIRE DIA.	LENGTH	QTY./CTN	WT./CTN
NPSR21-113-F32-S-RW	.113	2"	5M	30 LBS
NPSR21-113-F34-S-RW	.113	2 1/8"	5M	32 LBS
NPSR21-113-F36-S-RW	.113	2 1/4"	5M	33 LBS
NPSR21-113-F38-S-RW	.113	2 3/8"	5M	35 LBS
NPSR21-120-F48-S-RW	.120	3"	4M	39 LBS
NPSR21-131-F40-S-RW	.131	2 1/2"	4M	40 LBS
NPSR21-131-F48-S-RW	.131	3"	4M	47 LBS
NPSR21-131-F52-S-RW	.131	3 1/4"	4M	52 LBS
NPSR21-131-F56-S-RW	.131	3 1/2"	4M	56 LBS
NPSR21-148-F34-S-RW	.148	2 1/8"	4M	44 LBS
NPSR21-148-F36-S-RW	.148	2 1/4"	4M	46 LBS
NPSR21-148-F38-S-RW	.148	2 3/8"	4M	49 LBS
NPSR21-148-F48-S-RW	.148	3"	3M	45 LBS
NPSR21-148-F52-S-RW	.148	3 1/4"	3M	50 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM


007-001



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

18 GAUGE PNEUMATIC STICK BRADS, SLIGHT-HEAD STRAIGHT

MATERIAL = LOW CARBON STEEL



STRAIGHT STICK BRADS HAVE A CHISEL POINT AND ARE INTERCHANGABLE WITH BOSTITCH, HITACHI, SENCO, PORTER-CABLE, SPOTNAIL, ATRO, FASCO, APACH, MAX AND ZNEX.

PART NUMBER	GAUGE	LENGTH	QTY./BX	BX/CASE	WT./CASE
N1PSFC-G18-F06-S-RW	16	3/8"	5M	20BXS	26 LBS
N1PSFC-G18-F08-S-RW	16	1/2"	5M	20BXS	30 LBS
N1PSFC-G18-F10-S-RW	16	5/8"	5M	20BXS	32 LBS
N1PSFC-G18-F12-S-RW	16	3/4"	5M	20BXS	41 LBS
N1PSFC-G18-F16-S-RW	16	1"	5M	20BXS	50 LBS
N1PSFC-G18-F19-S-RW	16	1 3/16"	5M	20BXS	59 LBS
N1PSFC-G18-F20-S-RW	16	1 1/4"	5M	12BXS	37 LBS
N1PSFC-G18-F22-S-RW	16	1 3/8"	5M	12BXS	42 LBS
N1PSFC-G18-F24-S-RW	16	1 1/2"	5M	12BXS	46 LBS
N1PSFC-G18-F25-S-RW	16	1 9/16"	5M	12BXS	49 LBS
N1PSFC-G18-F28-S-RW	16	1 3/4"	5M	6BXS	26 LBS
N1PSFC-G18-F32-S-RW	16	2"	5M	6BXS	30 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-002




TITAN HARDWARE INTERNATIONAL

7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

16 GAUGE PNEUMATIC STICK BRADS STRAIGHT

MATERIAL = LOW CARBON STEEL



STRAIGHT STICK BRADS HAVE A CHISEL POINT AND ARE INTERCHANGABLE WITH BOSTITCH, HITACHI, PLASLODE, PORTER-CABLE, DOUFAST, SPOTNAIL, ATRO, FASCO, APACH, MAX AND ZNEX.

PART NUMBER	GAUGE	LENGTH	QTY./BX	BX/CASE	WT./CASE
N1PSFC-G16-F12-S-RW	16	3/4"	2.5M	24BXS	45 LBS
N1PSFC-G16-F16-S-RW	16	1"	2.5M	24BXS	58 LBS
N1PSFC-G16-F20-S-RW	16	1 1/4"	2.5M	24BXS	69 LBS
N1PSFC-G16-F24-S-RW	16	1 1/2"	2.5M	12BXS	40 LBS
N1PSFC-G16-F28-S-RW	16	1 3/4"	2.5M	12BXS	47 LBS
N1PSFC-G16-F32-S-RW	16	2"	2.5M	12BXS	54 LBS
N1PSFC-G16-F36-S-RW	16	2 1/4"	2.5M	6BXS	30 LBS
N1PSFC-G16-F40-S-RW	16	2 1/2"	2.5M	6BXS	33 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM


007-003



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

PNEUMATIC FINISH NAILS 15 GAUGE ANGLED TYPE DA

MATERIAL = LOW CARBON STEEL



ANGLED FINISH NAILS HAVE A CHISEL POINT AND ARE INTERCHANGEABLE WITH Senco, Fasco, Hitachi, Porter-Cable, Jamerco, Max, Makita and Duo-Fast.

PART NUMBER	GAUGE	LENGTH	QTY./BX	BX/CASE	WT./CASE
N1PAFC-G15-F16-S-RW	15	1"	4M	4 BXS	21 LBS
N1PAFC-G15-F20-S-RW	15	1 1/4"	4M	4 BXS	24 LBS
N1PAFC-G15-F24-S-RW	15	1 1/2"	4M	4 BXS	29 LBS
N1PAFC-G15-F28-S-RW	15	1 3/4"	4M	4 BXS	32 LBS
N1PAFC-G15-F32-S-RW	15	2"	4M	4 BXS	37 LBS
N1PAFC-G15-F36-S-RW	15	2 1/4"	4M	2 BXS	20 LBS
N1PAFC-G15-F40-S-RW	15	2 1/2"	4M	2 BXS	23 LBS

OTHER SIZES AVAILABLE UPON REQUEST TM

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-004



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

PNEUMATIC STAPLES

FINE WIRE 3/8" MEDIUM CROWN

MATERIAL = LOW CARBON STEEL

TYPE "C" 22 GAUGE FINE WIRE 3/8" MED. CROWN STAPLES ARE INTERCHANGEABLE WITH SENCO, ATRO, FASCO, BEA, AND PORTER-CABLE.

PART NUMBER	WIRE DIA.	LENGTH	QTY./BX	BX/CASE	WT./CASE
SPM-G22-F06-04-S-RW	22GAUGE	1/4"	10M	20	25 LBS
SPM-G22-F06-06-S-RW	22GAUGE	3/8"	10M	20	34 LBS
SPM-G22-F06-08-S-RW	22GAUGE	1/2"	10M	20	42 LBS
SPM-G22-F06-10-S-RW	22GAUGE	5/8"	10M	12	30 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-005



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

PNEUMATIC STAPLES 18 GAUGE 1/4" NARROW CROWN

MATERIAL = LOW CARBON STEEL

1/4" MED. CROWN STAPLES ARE INTERCHANGEABLE WITH SENCO "L", ATRO, BEA, FASCO, PORTER-CABLE AND DUO-FAST STAPLES.

PART NUMBER	WIRE DIA.	LENGTH	QTY./BX	BX/CASE	WT./CASE
SPNL-G18-F04-06-S-RW	18GAUGE	3/8"	5M	20	33 LBS
SPNL-G18-F04-08-S-RW	18GAUGE	1/2"	5M	12	33 LBS
SPNL-G18-F04-10-S-RW	18GAUGE	5/8"	5M	12	40 LBS
SPNL-G18-F04-12-S-RW	18GAUGE	3/4"	5M	12	47 LBS
SPNL-G18-F04-14-S-RW	18GAUGE	7/8"	5M	12	53 LBS
SPNL-G18-F04-16-S-RW	18GAUGE	1"	5M	12	61 LBS
SPNL-G18-F04-18-S-RW	18GAUGE	1 1/8"	5M	6	68 LBS
SPNL-G18-F04-19-S-RW	18GAUGE	1 3/16"	5M	6	37 LBS
SPNL-G18-F04-20-S-RW	18GAUGE	1 1/4"	5M	6	39 LBS
SPNL-G18-F04-24-S-RW	18GAUGE	1 1/2"	5M	6	46 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-006



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

PNEUMATIC STAPLES 16 GAUGE 7/16" MEDIUM CROWN

MATERIAL = LOW CARBON STEEL

7/16" MED. CROWN STAPLES ARE INTERCHANGEABLE WITH SENCO, ATRO, BEA, FASCO, HITACHI, PORTER-CABLE AND STAN=TECH STAPLES.

PART NUMBER	WIRE DIA.	LENGTH	QTY./BX	BX/CASE	WT./CASE
SPML-G16-F07-12-S-RW	16GAUGE	3/4"	10M	1	15 LBS
SPML-G16-F07-16-S-RW	16GAUGE	1"	10M	1	16LBS
SPML-G16-F07-20-S-RW	16GAUGE	1 1/4"	10M	1	23LBS
SPML-G16-F07-22-S-RW	16GAUGE	1 3/8"	10M	1	24 LBS
SPML-G16-F07-24-S-RW	16GAUGE	1 1/2"	10M	1	27 LBS
SPML-G16-F07-26-S-RW	16GAUGE	1 5/8"	10M	1	28 LBS
SPML-G16-F07-28-S-RW	16GAUGE	1 3/4"	10M	1	30 LBS
SPML-G16-F07-22-S-RW	16GAUGE	2"	10M	1	34 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-007



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

PNEUMATIC STAPLES 15 GAUGE 7/16" MEDIUM CROWN

MATERIAL = LOW CARBON STEEL

7/16" MED. CROWN STAPLES ARE INTERCHANGEABLE WITH SENCO "Q" SERIES STAPLES.

PART NUMBER	WIRE DIA.	LENGTH	QTY./BX	BX/CASE	WT./CASE
SPMQ-G15-F07-12-S-RW	15GAUGE	3/4"	10M	1	15 LBS
SPMQ-G15-F07-16-S-RW	15GAUGE	1"	10M	1	16LBS
SPMQ-G15-F07-20-S-RW	15GAUGE	1 1/4"	10M	1	23LBS
SPMQ-G15-F07-22-S-RW	15GAUGE	1 3/8"	10M	1	24 LBS
SPMQ-G15-F07-24-S-RW	15GAUGE	1 1/2"	10M	1	27 LBS
SPMQ-G15-F07-26-S-RW	15GAUGE	1 5/8"	10M	1	28 LBS
SPMQ-G15-F07-28-S-RW	15GAUGE	1 3/4"	10M	1	30 LBS
SPMQ-G15-F07-32-S-RW	15GAUGE	2"	10M	1	34 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-008



TITAN
HARDWARE INTERNATIONAL
7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

PNEUMATIC STAPLES

16 GAUGE

1/2" MEDIUM CROWN

MATERIAL = LOW CARBON STEEL

1/2" MED. CROWN STAPLES ARE INTERCHANGEABLE WITH BOSTICH, SPOTNAIL AND FASCO.

PART NUMBER	WIRE DIA.	LENGTH	QTY./BX	BX/CASE	WT./CASE
SPM-G16-F08-16-S-RW	16GAUGE	1"	10M	1	18 LBS
SPM-G16-F08-20-S-RW	16GAUGE	1 1/4"	10M	1	23 LBS
SPM-G16-F08-24-S-RW	16GAUGE	1 1/2"	10M	1	27 LBS
SPM-G16-F08-28-S-RW	16GAUGE	1 3/4"	10M	1	30 LBS
SPM-G16-F08-22-S-RW	16GAUGE	2"	10M	1	34 LBS

1/2" MED. CROWN STAPLES ARE INTERCHANGEABLE WITH PASLODE AND FASCO

PART NUMBER	WIRE DIA.	LENGTH	QTY./BX	BX/CASE	WT./CASE
SPM2-G16-F08-16-S-RW	16GAUGE	1"	10M	1	18 LBS
SPM2-G16-F08-20-S-RW	16GAUGE	1 1/4"	10M	1	23 LBS
SPM2-G16-F08-24-S-RW	16GAUGE	1 1/2"	10M	1	27 LBS
SPM2-G16-F08-28-S-RW	16GAUGE	1 3/4"	10M	1	30 LBS
SPM2-G16-F08-22-S-RW	16GAUGE	2"	10M	1	34 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-009




TITAN HARDWARE INTERNATIONAL

7711 AMIGOS AVE, SUITE C, DOWNEY, CA 90242
LOCAL PH 562-803-1695 FAX 562-803-6605
EMAIL SALES@TITANHARDWARE.COM

CARTON CLOSING STAPLES 16 GAUGE 1" CROWN

MATERIAL = LOW CARBON STEEL

CROWN = 1"



WIDE CROWN STAPLES ARE INTERCHANGEABLE WITH SENCO, FASCO, DUO-FAST AND HITACHI STAPLES.

PART NUMBER	WIRE DIA.	LENGTH	QTY./BX	BX/CASE	WT./CASE
SPW-G16-F16-10-S-RW	16GAUGE	5/8"	10M	1	18 LBS
SPW-G16-F16-12-S-RW	16GAUGE	3/4"	10M	1	19 LBS
SPW-G16-F16-14-S-RW	16GAUGE	7/8"	10M	1	21 LBS
SPW-G16-F16-16-S-RW	16GAUGE	1"	10M	1	23 LBS
SPW-G16-F16-20-S-RW	16GAUGE	1 1/4"	10M	1	27 LBS
SPW-G16-F16-24-S-RW	16GAUGE	1 1/2"	10M	1	32 LBS
SPW-G16-F16-28-S-RW	16GAUGE	1 3/4"	5M	1	18LBS
SPW-G16-F16-32-S-RW	16GAUGE	2"	5M	1	20 LBS

OTHER SIZES AVAILABLE UPON REQUEST

TOLL FREE PH 1-888-551-0456 FAX 1-888-551-0454

WWW.TITANHARDWARE.COM

007-010